

## Accessories

Part No.	Description
73181	Solder - 16 oz. spool, 1/8" dia. 40/60 tin/lead
73183	Solder Flux - 4 oz. zinc chloride solder paste flux
73185	Quick Flux - Cleans and prepares surface
73187	Dielectric Grease - 5oz. Tube
73188	Dielectric Grease - 2 gram pillow pack



## Solder Pellets

Pre-measured solder pellets ensure the right amount of solder for each connection

Part Number	Wire Size	Color Stripe
SP-6	6 GA	Grey
SP-4	4 GA	Grey
SP-2	2 GA	Green
SP-1	1 GA	Pink
SP-1-0	1/0	Black
SP-2-0	2/0	Orange
SP-3-0	3/0	Purple
SP-4-0	4/0	Yellow

# Miscellaneous Tools

## Wire Stripper

Wire Size	Length	Lbs.	Part No.
26-10	8"	.66#	20604



## Cable Cutter

Wire Size	Length	Lbs.	Part No.
20-4/0	8"	.66#	20605



## Cutter/Stripper

Size	Length	Lbs.	Part No.
24-12	5"	.16#	20607



## QuickStip Cable Stripper

- Strips up to 4/0 gauge
- Includes spare blade
- Only 5 1/2" long

Part No. 20706



## Nylon Clamps

Screw Size	Max Bundle	Part Number
8	.12	23427
8	.25	23429
8	.50	23434



## Steel Cushioned Clamps

Screw Size	Max Bundle	Part Number
1/4	.250	23436#
1/4	.375	23438
1/4	.500	23440
1/4	.625	23441
1/4	.750	23443
1/4	.875	23442
1/4	1.00	23444
1/4	1.25	23445



## Ratchet Controlled

Gives the same results whenever you use them



20591\*  
 Non-Insulated 22-8 ga.  
 Length 10.8" Lbs. 1#



20592\*  
 Insulated 22-14 ga.  
 Length 9.7" Lbs. 1.1#



20593\*  
 Insulated 12-10 ga.  
 Uninsulated 8 ga.  
 Length 12.8" 2.02#



20594  
 Insulated 22-18 & 16-14  
 Flags Part # 20188 & 20189



20595  
 Insulated 22-10 Female QDC  
 Length 8.875" Lbs. 1.2#



20700  
 Insulated 22-10 ga. Female  
 Length 9" Lbs. 1.2#



20608Y (yellow)  
 20608R (red)  
 Insulated 22-10 ga.  
 Length 9.5" Lbs. 1.27#



TR-490  
 Insulated & Non-Insulated 22-10 ga.  
 Nylon, Vinyl, Butted, or Brazed



20704 Insulated Flag 16-10 ga.    20705 Insulated Flag 22-14 ga.    20713 Non-Insulated Flag 22-14 ga.



20709 Closed End Connectors 22-10 ga.

\* UL & CSA listed tools with Hillsdale's Terminals

## Hand Crimpers



**20600**  
 Upfront Stripper  
 22-10 ga.  
 Length 9.25" Lbs. 1.3#



**22601**  
 Upfront Crimper  
 26-8 ga.  
 Length 8.25" Lbs. .72#



**20597**  
 Crimper  
 22-10 ga.  
 Length 9" Lbs. .7#



**20716**  
 Multi-Function Crimping Tool  
 Cuts/Strips/Crimps  
 22-10 ga.  
 Non and Insulated Terminals, Flag Terminals, Bolts,  
 W/ Pliar Tip and Spring Loaded Handle  
 Length 8-5/8"



**20717**  
 3 Pc. Tool  
 22-10 ga.



**20603**  
 Econo Crimper  
 22-10 ga.  
 Length 7.5" Lbs. .66#

## Heat Shrink Torches & Tools



**20606**  
 Mini Torch  
 Refillable Lighter  
 Electronic Igniter



**20590**  
 Butane Torch  
 Interchangeable Tips  
 120 min. of operation



**20596**  
 Heat Shrink Insulated  
 Ratchet Controlled Crimper  
 20-8 ga.  
 Length 11" Lbs. 1.2#



**20715**  
 Heat Shrink Butt Connectors  
 Ratchet Controlled Crimper  
 22-8 ga.  
 Length 9" Lbs. 1.2#

## HexCrimp Sr.™

- Part No. 20701
- Hand-held 26" overall length
  - Crimps all major brands of connectors
  - 8 GA - 250 mcm
  - Made in USA



## Quick Cutter 2™

- Part No. 20703
- Cuts cable up to 250 MCM (6/0GA)
  - 22" handles for easier cutting
  - Blades made of 1075 carbon steel, heat treated for long life can be resharpened
  - Made in USA



## The Crimp Master

- Part No. 20599
- 24" Length
  - Crimps 8 - 4/0
  - Triangular crimp
  - Made in USA



## 6-2 Ga. UL Tool

- Part No. 6220CT\*
- 18" Length
  - Crimps 6-2 ga.
  - Uninsulated
  - Made in the USA



## Brute Hammer Crimper

- Part No. 20707
- Inexpensive, simple crimping tool
  - Use with hammer or vise
  - Crimps 8 thru 4/0 gauge connectors
  - Spring loaded pin locks in "up" position for loading connector and cable, when released pin holds connector securely during crimping

